

**Honeywell**

THE POWER OF **CONNECTED**

# 70/75 Series Mobile Computer





Accessories Guide











# Contents




- 2 [Docks and Modules](#)
- 5 [Data Cables](#)
- 6 [Handles and Holsters](#)
- 8 [Power Supplies](#)
- 9 [Replacement Parts](#)
- 10 [Mass Storage](#)
- 11 [FlexDock](#)

# Docks and Modules




PRODUCT NAME	SKU	DESCRIPTION
Vehicle Dock, CN70/CN70e/ CN75/CN75e 	<b>871-034-001</b> <b>(1000AV01)</b>	Retains mobile computer in vehicle environment. Easy one-handed removal of device. Provides USB Host (HDB15M) and RS-232 (DB9M) receptacles. Provides 5V DC on RS-232 Pin 9 for powering peripherals. Requires 805-638-001 Mounting Kit and power option listed below. Optional 850-828-001 Audio Adapter via USB port. Optional USB Host Cable VE011-2016. Not compatible with Scan Handle, Magnetic Stripe Reader, or Snap-On Adapters.
Vehicle Holder, CN70/CN70e/ CN75/CN75e 	<b>805-672-001</b> <b>(1000AV02)</b>	Retains mobile computer in vehicle environment. Does not provide connectivity. Requires 805-638-001 Mounting Kit. Not compatible with Scan Handle, Magnetic Stripe Reader, or Snap-On Adapters.
Vehicle Dock, CK70/CK71/CK75 	<b>871-035-001</b> <b>(1001AV01)</b>	Retains mobile computer in vehicle environment. Easy one-handed removal of device. Provides USB Host (HDB15M) and RS-232 (DB9M) receptacles. Provides 5V DC on RS-232 Pin 9 for powering peripherals. Requires 805-638-001 Mounting Kit and power option listed below. Optional 850-828-001 Audio Adapter via USB port. Optional USB Host Cable VE011-2016. Compatible with Scan Handle or Magnetic Stripe Reader. Not compatible with Snap-On Adapters.
Vehicle Holder, CK70/ CK71/CK75 	<b>805-673-001</b> <b>(1001AV02)</b>	Retains mobile computer in vehicle environment. Does not provide connectivity. Requires 805-638-001 Mounting Kit. Compatible with Scan Handle or Magnetic Stripe Reader. Not compatible with Snap-On Adapters.

PRODUCT NAME	SKU	DESCRIPTION
Vehicle Dock Mounting Kit 	805-638-001	Required for Vehicle Dock or Vehicle Holder. Consists of one 120.7 mm (4.75 in) adjustable pivot arm with two 38.1 mm (1.5 in) stainless steel balls and assembly hardware. Requires customer-supplied hardware to secure mount to vehicle.
Power Cable, Dock-to-Fuse Block	226-109-003	Power Option: For connection of Vehicle Dock to fuse block or similar connection point. Power Cable with spade lugs. Supports input voltage of 12–30V DC. Optionally used with 203-803-001 Fuse Block Power Kit if direct connection to fuse block not available.
Vehicle Dock Fuse Block Power Kit	203-803-001	Power Distribution Block optionally used 226-109-003 when direct connection to vehicle fuse block is not available.
Vehicle Dock Installation Kit	203-802-001	Power Option: For connection of Vehicle Dock directly to vehicle battery. Includes power cables and cable mounting hardware. Alternate to 70/75 Series Vehicle Dock Power Cable. Supports input voltage of 12–30V DC.
DC/DC Converter Kit, 6–60V DC	203-808-001	Power Option: For connection of Vehicle Dock to forklift power systems operating on 6–60V DC. Provides filtering and conditioning. Includes all power cables and cable mounting hardware.
DC/DC Converter Kit, 15–96V DC	203-809-001	Power Option: For connection of Vehicle Dock to forklift power systems operating on 15–96V DC. Provides filtering and conditioning. Includes all power cables and cable mounting hardware.
Auto Adapter Vehicle Dock 	852-057-005 (1000AA08)	Power Option: For connection of Vehicle Dock screw-down power receptacle to vehicle cigarette lighter/ power port.
Audio Adapter, 70/75 Series Vehicle Dock 	850-828-001	Adapts Vehicle Dock USB connector to amplified audio output. Terminates in 3.5 mm Audio Jack. Customer must supply loudspeaker appropriate to application.





PRODUCT NAME	SKU	DESCRIPTION
<p>Snap-On Adapter, Ethernet, 70/75 Series</p> 	<p><b>850-565-001</b> <b>(1000AA01)</b></p>	<p>Provides RJ45 receptacle for Ethernet connectivity via standard cables (not included). Uses optional 851-094-011 AC Power Supply and/or 852-071-001 Vehicle Power Adapter. Charges mobile computer battery in 4 hours or less (typical); up to 6 hours for fully discharged batteries.</p>
<p>Snap-On Adapter, RS-232, 70/75 Series</p> 	<p><b>850-566-001</b> <b>(1000AA03)</b></p>	<p>Provides DB9M receptacle for RS-232 serial communications. Provides 5V DC on Pin 9 for powering peripherals. Uses optional 851-094-011 AC Power Supply and/or 852-071-001 Vehicle Power Adapter. This adapter is NOT compatible with SR61TXR. Charges mobile computer battery in 4 hours or less (typical); up to 6 hours for fully discharged batteries.</p>
<p>Snap-On Adapter, USB, 70/75 Series</p> 	<p><b>850-567-001</b> <b>(1000AA07)</b></p>	<p>Provides HDB15M receptacle for USB Host and Client connectivity. Requires USB cable VE011-2016 (Host) and/or VE011-2018 (Client). Uses optional 851-094-011 AC Power Supply and/or 852-071-001 Vehicle Power Adapter. Charges mobile computer battery in 4 hours or less (typical); up to 6 hours for fully discharged batteries.</p>
<p>Snap-On Adapter, DEX, 70/75 Series</p> 	<p><b>850-568-001</b> <b>(1000AA04)</b></p>	<p>Provides connectivity to DSD receiving systems supporting DEX standards. Terminates in 6.35 mm (0.25 in) DEX plug. Uses optional 851-094-011 AC Power Supply and/or 852-071-001 Vehicle Power Adapter. Charges mobile computer battery in 4 hours or less (typical); up to 6 hours for fully discharged batteries.</p>
<p>Snap-On Adapter, Audio, 70/75 Series</p> 	<p><b>850-577-001</b> <b>(1000AA02)</b></p>	<p>Provides Quick Disconnect (QD) headset connector for use in audio and voice applications. Uses optional 851-094-011 AC Power Supply and/or 852-071-001 Vehicle Power Adapter. Charges mobile computer battery in 4 hours or less (typical); up to 6 hours for fully discharged batteries.</p>





PRODUCT NAME	SKU	DESCRIPTION
Magnetic Stripe Reader (MSR), CN70/CN70e/CN75/CN75e 	<b>850-570-001</b> <b>(1001AA01)</b>	Reads credit cards and similar cards with data encoded on magnetic stripe. Attaches to docking connector on CN70/CN70e/CN75/CN75e mobile computer. MSR does not need to be removed for docking in FlexDock.
Magnetic Stripe Reader (MSR), CK70/CK71/CK75 	<b>850-574-001</b> <b>(1000AA06)</b>	Reads credit cards and similar cards with data encoded on magnetic stripe. Attaches to back of mobile computer via Back Accessory Interface (order separately). Not compatible with Scan Handle. Includes shortened handstrap.
Back Accessory Interface, CK70/CK71/CK75 	<b>715-605-001</b>	Replaces back access door on CK70/CK71/CK75 mobile computer. Provides power and data connections to back-mounted peripherals designed for use with CK70/CK71/CK75 mobile computer. Partner Development Guide is available to aid in creating compatible peripheral devices.

## Data Cables

PRODUCT NAME	SKU	DESCRIPTION
Cable, Single USB Host 	<b>VE011-2016</b>	Adapts Vehicle Dock USB Connector or USB Snap-On Adapter to USB-A Female receptacle for connectivity to USB Host peripherals. Use optional Cable Retainer Kit (203-810-001, sold separately) to secure USB connectors.
Cable, Single USB Client 	<b>VE011-2018</b>	For use with USB Snap-On Adapter to provide USB Client (ActiveSync) connection to host PC. Use optional Cable Retainer Kit (203-810-001, sold separately) to secure USB connectors.
Kit, USB Cable Retainer (5/pk) 	<b>203-810-001</b>	Contains five (5) sets of Cable Retainers used to secure USB connectors.





# Handles and Holsters



PRODUCT NAME	SKU	DESCRIPTION
Scan Handle, CN70/CN70e/ CN75/CN75e 	<b>805-835-001</b>	Snaps easily on or off mobile computer. Angles mobile computer to enable screen viewing while scanning. Optional bracket included for semi-permanent attachment. Not compatible with Vehicle Dock or Holder.
Scan Handle, CK70 	<b>805-836-002</b>	Attaches to mobile computer with screw-in handle. Does not interfere with Vehicle Dock or Holder use. Not compatible with Magnetic Stripe Reader. Slightly obscures the lower portion of the camera field of view.
Scan Handle, CK71/CK75 	<b>805-836-001</b>	Attaches to mobile computer with screw-in handle. Does not interfere with Vehicle Dock or Holder use. Not compatible with Magnetic Stripe Reader.
Holster, CN70/CN75 without Scan Handle 	<b>815-067-001</b>	Holster for CN70 and CN75 mobile computers without Scan Handle.
Holster, CN70/CN70e/CN75/ CN75e with Scan Handle 	<b>815-074-001</b>	Holster for CN70, CN70e, CN75, and CN75e mobile computers with Scan Handle.

PRODUCT NAME	SKU	DESCRIPTION
<p>Holster, CN70e/CN75e without Scan Handle</p> 	<b>815-080-001</b>	Holster for CN70e and CN75e mobile computers without Scan Handle.
<p>Holster, CK71/CK75 without Scan Handle</p> 	<b>815-068-001</b>	Holster for CK71 and CK75 mobile computers without Scan Handle.
<p>Holster, CK71/CK75 with Scan Handle</p> 	<b>815-075-001</b>	Holster for CK71 and CK75 mobile computers with Scan Handle.
<p>Desk Stand, CN70/CN70e/ CN75/CN75e</p> 	<b>203-933-001</b>	Positions mobile computer upright on flat surface; allows connection of adapters and cables.
<p>Desk Stand, CK70/CK71/CK75</p> 	<b>203-934-001</b>	Positions mobile computer upright on flat surface; allows connection of adapters and cables.
<p>Protective Boot, CK71/CK75</p> 	<b>203-961-001</b>	Rubber boot for CK71 and CK75 mobile computers only. Charcoal color. Use with or without handle. (Not compatible with holster or vehicle docks.)










# Power Supplies

PRODUCT NAME	SKU	DESCRIPTION
AC Power Supply, 3-Pin Connector 	<b>851-094-011</b> <b>(9001AE01)</b>	Provides 3-pin quarter-turn locking connector for use with 70/75 Series Snap-On Adapters. Requires AC line cord.
Vehicle Power Adapter, 3-Pin Connector 	<b>852-071-001</b> <b>(9002AX01)</b>	Provides 3-pin quarter-turn locking connector for power connection between vehicle cigarette lighter/power port and Snap-On Adapters.
Vehicle Power Adapter 	<b>852-074-001</b>	Provides direct power connection between the vehicle cigarette lighter/power port and the 70/75 Series docking connector.
AC Power Cord	<b>321-470-001</b> <b>321-500-001</b> <b>071918</b> <b>1-974027-025</b> <b>1-974028-025</b> <b>1-974029-020</b> <b>1-974030-025</b> <b>321-471-002</b> <b>321-501-002</b> <b>321-502-002</b>	AC Power Cord, Switzerland AC Power Cord, Japan AC Power Cord, China RoHS AC Power Cord, Europe RoHS AC Power Cord, US RoHS AC Power Cord, UK RoHS AC Power Cord, Australia RoHS AC Power Cord, Italy RoHS AC Power Cord, Denmark RoHS AC Power Cord, India/South Africa RoHS
Battery Pack, CN70/CN70e/ CN75/CN75e 	<b>318-043-033</b>	Spare or replacement battery pack for CN70/CN70e/CN75/CN75e mobile computer (one pack included with each mobile computer).

PRODUCT NAME	SKU	DESCRIPTION
Battery Pack, CK70/CK71/CK75 	318-046-031	Spare or replacement battery pack for CK70/CK71/CK75 mobile computer (one pack included with each mobile computer).
Battery Pack, CK75 Cold Storage 	318-046-032	Spare or replacement battery pack for CK75 Cold Storage mobile computer (one pack included with each Cold Storage mobile computer).

## Replacement Parts




PRODUCT NAME	SKU	DESCRIPTION
Kit, Tethered Stylus, CN70/ CN70e/CN75/CN75e (5/pk) 	203-932-001	Kit of five (5) replacement styluses for CN70/CN70e/CN75/CN75e mobile computer (one stylus included with each mobile computer).
Kit, Tethered Stylus, CK70/ CK71/CK75 (5/pk) 	203-928-001	Kit of five (5) replacement styluses for CK70/CK71/CK75 mobile computer (one stylus included with each mobile computer).
Kit, Handstrap, CN70/ CN75 (5/pk) 	203-930-001	Kit of five (5) replacement handstraps for CN70 and CN75 mobile computer (one handstrap included with each mobile computer).
Kit, Handstrap, CN70e/CN75e (5/pk) 	203-931-001	Kit of five (5) replacement handstraps for CN70e and CN75e mobile computer (one handstrap included with each mobile computer).



PRODUCT NAME	SKU	DESCRIPTION
Kit, Handstrap, CK70/CK71/ CK75 (5/pk) 	<b>203-929-001</b>	Kit of five (5) replacement handstraps for CK70/CK71/CK75 mobile computer (one handstrap included with each mobile computer).
Kit, Screen Cleaner Wipes	<b>345-065-101</b>	Includes 24 pre-moistened, non-abrasive, non-streaking 101.6 mm x 177.8 mm (4 in x 7 in) wipes.
Kit, Screen Protector (10/pk) 	<b>346-069-107</b>	Contains ten (10) self-adhesive screen protectors, 88.9 mm (3.5 in).
Kit, Screen Protector (25/pk) 	<b>346-069-207</b>	Contains twenty-five (25) self-adhesive screen protectors, 88.9 mm (3.5 in).



## Mass Storage




PRODUCT NAME	SKU	DESCRIPTION
Micro SD Card, 1 GB	<b>856-065-004</b>	Industrial-grade Micro SD card for reliable performance in all 70/75 Series operating environments.
Micro SD Card, 2 GB	<b>856-065-005</b>	Industrial-grade Micro SD card for reliable performance in all 70/75 Series operating environments.
Micro SD Card, 4 GB	<b>856-065-006</b>	Industrial-grade Micro SD card for reliable performance in all 70/75 Series operating environments.

# FlexDock

PRODUCT NAME	SKU	DESCRIPTION
Desktop Dock CN70/CN70e/CN75/CN75e No Power Cord CN70/CN70e/CN75/CN75e NA Power Cord CK70/CK71/CK75 No Power Cord CK70/CK71/CK75 NA Power Cord	<b>DX1A01A20</b>  <b>DX1A01A10</b>  <b>DX1A02B20</b> <b>DX1A02B10</b>	Accommodates one mobile computer and one auxiliary pack charger, capable of supporting two battery packs. Provides USB Host and Client connectivity. Includes power supply. North American customers should order configuration that includes NA Power Cord. Supports USB cable (236-209-001) via USB Client port for connection to Host PC. Supports optional Ethernet module (871-238-011) or Analog Modem module (871-238-002) via USB Host port. Charges mobile computer in less than 4 hours (typical); up to 6 hours for fully discharged batteries.
		
Cable Assy, USB-A to USBMicroB, 1 M (39.4 in)	<b>236-209-001</b>	Provides USB Client connectivity between Desktop Dock and Host PC.
		
Ethernet Adapter, FlexDock Desktop	<b>871-238-011</b>	Attaches to USB Host port on FlexDock Desktop to provide Ethernet connectivity.
		
Modem Adapter, FlexDock Desktop	<b>871-238-002</b>	Attaches to USB Host port on FlexDock Desktop to provide analog modem communications.

PRODUCT NAME	SKU	DESCRIPTION	
Dual Dock Ethernet CN70/CN70e/CN75/CN75e No Power Cord	<b>DX2A11120</b>	Accommodates two mobile computers. Includes power supply. North American customers should order configuration that includes NA Power Cord. Optional 100Base-T Ethernet connectivity; provides two RJ45 jacks for upstream connections and downstream “daisy-chain” connections of up to 10 docks. Charges mobile computer in less than 4 hours (typical); up to 6 hours for fully discharged batteries.	
CN70/CN70e/CN75/CN75e NA Power Cord	<b>DX2A11110</b>		
CK70/CK71/CK75 No Power Cord	<b>DX2A12220</b>		
CK70/CK71/CK75 NA Power Cord	<b>DX2A12210</b>		
Dual Dock Charge Only CN70/CN70e/CN75/CN75e No Power Cord	<b>DX2A21120</b>		
CN70/CN70e/CN75/CN75e NA Power Cord	<b>DX2A21110</b>		
CK70/CK71/CK75 No Power Cord	<b>DX2A22220</b>		
CK70/CK71/CK75 NA Power Cord	<b>DX2A22210</b>		
			
Quad Dock Ethernet CN70/CN70e/CN75/CN75e No Power Cord	<b>DX4A1111100</b>		Accommodates four mobile computers. Includes power supply. North American customers should order configuration that includes NA Power Cord. Optional 100Base-T Ethernet connectivity; provides two RJ45 jacks for upstream connections and downstream “daisy-chain” connections of up to 10 docks. Charges mobile computer in less than 4 hours (typical); up to 6 hours for fully discharged batteries.
CN70/CN70e/CN75/CN75e NA Power Cord	<b>DX4A1111110</b>		
CK70/CK71/CK75 No Power Cord	<b>DX4A1222200</b>		
CK70/CK71/CK75 NA Power Cord	<b>DX4A1222210</b>		
Quad Dock Charge Only CN70/CN70e/CN75/CN75e No Power Cord	<b>DX4A2111100</b>		
CN70/CN70e/CN75/CN75e NA Power Cord	<b>DX4A2111110</b>		
CK70/CK71/CK75 No Power Cord	<b>DX4A2222200</b>		
CK70/CK71/CK75 NA Power Cord	<b>DX4A2222210</b>		
			

PRODUCT NAME	SKU	DESCRIPTION
<p>4-Position Battery Charger            CN70/CN70e/CN75/CN75e            No Power Cord            CN70/CN70e/CN75/CN75e            NA Power Cord            CK70/CK71/CK75            No Power Cord            CK70/CK71/CK75            NA Power Cord</p> 	<p><b>DX2A2AA20</b>   <b>DX2A2AA10</b>   <b>DX2A2BB20</b>  <b>DX2A2BB10</b></p>	<p>Accommodates two auxiliary pack charger cups, capable of supporting four battery packs. Includes power supply. North American customers should order configuration that includes NA Power Cord. Charges battery packs in 4 hours or less (typical); up to 6 hours for fully discharged batteries.</p>
<p>8-Position Battery Charger            CN70/CN70e/CN75/CN75e            No Power Cord            CN70/CN70e/CN75/CN75e            NA Power Cord            CK70/CK71/CK75 No Power Cord            CK70/CK71/CK75            NA Power Cord</p> 	<p><b>DX4A2AAAA00</b>   <b>DX4A2AAAA10</b>   <b>DX4A2BBBB00</b>  <b>DX4A2BBBB10</b></p>	<p>Accommodates four auxiliary pack charger cups, capable of supporting eight battery packs. Includes power supply. North American customers should order configuration that includes NA Power Cord. Charges battery packs in 4 hours or less (typical); up to 6 hours for fully discharged batteries.</p>

PRODUCT NAME	SKU	DESCRIPTION
<p>Full-Page Printer Upgrade Kit, CN70/CN70e/CN75/CN75e</p> 	<p>203-966-001 203-967-001</p>	<p>682X series upgrade kits for CN70/CN70e/CN75/CN75e mobile computer. Pairing with mobile computer via Bluetooth or optional serial hardwired interface. Not compatible with Scan Handle, Magnetic Stripe Reader, or Snap-On Adapters.</p>
<p>Workboard Printer, CN70/ CN70e/CN75/CN75e</p> 	<p>PW50A050101 PW50A050102</p>	<p>A 101.6 mm (4 in) direct thermal receipt printer specifically designed to retain and charge the mobile computer. DEX, Mag Stripe, Smart Card capable. Pairing with mobile computer via Bluetooth interface. Requires separate battery (318-026-001) for stand-alone operation. Not compatible with Scan Handle, Magnetic Stripe Reader, or Snap-On Adapters.</p>
<p>Workboard Printer Vehicle Docks, CN70/CN70e/CN75/CN75e</p> 	<p>225-777-001 225-778-001</p>	<p>PW50 Vehicle Mounting Docks for CN70/CN70e/CN75/CN75e mobile computer. Docks provide secure mounting and charging of both printer and mobile computer.</p>

**For more information**

[www.honeywellaidc.com](http://www.honeywellaidc.com)

**Honeywell Safety and Productivity Solutions**

9680 Old Bailes Road  
Fort Mill, SC 29707  
800-582-4263  
[www.honeywell.com](http://www.honeywell.com)

Bluetooth is a trademark or registered trademark of Bluetooth SG, Inc. in the United States and/or other countries.

All other trademarks are the property of their respective owners.

70/75 Series Accessories Guide | Rev H | 04/18  
© 2018 Honeywell International Inc.

